



## ORDER OF INSPECTIONS Residential

**Phase I:** Post permit and address visible from the street. Maintain erosion control.

1. Install erosion control/silt fences.
1. Plumbing rough-In inspections are to be called in by the plumbing contractor.
2. Temporary power pole inspections are to be called in by the electrical contractor.
3. Pre-pour slab inspection is done after rebar is in place and termite treatment has been done.

**Phase II:** Post permit and address visible from the street. Have an approved set of plans on site. Building should be dried in with roof, felt, and windows installed.

1. Mechanical rough-in (includes fireplace & venting systems), electrical rough-in, and plumbing top-out inspections are called in by the contractors of each trade **before** the framing inspection is done.
2. Building framing inspection is done after the above inspections have been approved. *No* framing inspection will be done before their approval.
3. Anchor bolt and brick-tie inspections will be done at frame inspection.
4. Insulation is to be installed and inspected for R-Value **after** framing inspection is approved. *Spray-foam insulation Certificate of Compliance letter will be required before final.*

**Phase III:** Post permit and address visible from the street. Maintain erosion control.

1. Submittal documents required before finals:
  - a. Duct pressure test required before mechanical final.
  - b. CSI report required before plumbing final.
  - c. Backflow-test results required before irrigation final.
  - d. If spray-foam insulation is used, a certificate of compliance letter is required from the insulators before the building final is issued.
1. Mechanical, electrical, plumbing, and irrigation finals must be called in by the contractors of each trade prior to the final building inspection.
2. The final energy inspection and erosion control inspection will be done at the time of the final building inspection.
3. At the time of the electrical final, a minimum of 50% of lighting (lamps, bulbs, etc.) must be energy efficient to meet energy codes.



## ORDER OF INSPECTIONS

Residential  
(Continued)

### Secondary Systems:

Swimming pools and driveways, if applicable, must be inspected and finalized before building final is issued.

### Swimming Pool Inspections:

1. Belly steel and bonding inspections
2. Deck bonding inspection
3. Pool and electrical final inspections

Before the final approval, the pool must be completed and filled, required fencing installed, and alarms on doors that open into the enclosed pool area.

**Driveways:** Requires a separate permit

1. Pre-pour inspection to verify compliance with City of Tyler specifications

**Retaining walls:** Retaining walls over 4ft require an engineer's design

1. Footing inspection
2. Final inspection

**Temporary Gas Service:** Requires a separate permit

1. All gas appliances must be installed and gas venting must be completed
2. Gas pressure test
3. Final inspection – release of meter

**Temporary Electrical Service:** Requires a separate permit

1. Panels and fixtures, receptacles, switches, etc. below 8ft must be finished/trimmed out
2. Final inspection – release of meter

### Building Inspectors

Jake Dunnam  
Building Inspector  
903-531-1186

Eugene Wagner  
Plumbing Inspector  
903-531-1157

Cheri Stanley  
Electrical Inspector  
903-531-1167

David Gibson  
Mechanical Inspector  
903-531-1059